Index

A	Atherosclerotic vascular diseases (ASVD)
Advanced glycation end products (AGEs), 30	ASVD and periodontitis, 43–44
Alzheimer's disease (AD), 2, 117, 118	biologic mechanisms, 44
clinical diagnosis, 94–95	Framingham risk, 40
incidence, 93	healthy diet and exercise plan, 40
late onset/sporadic AD (LOAD), 93	hypercholesterolemia, 40
management, 95	infection, 45–46
pathogenesis	inflammation, 46–47
amyloid β-peptide, 96	atheroma enlargement, 42
brain amyloid accumulation, 97	cholesterol, 41, 42
cytokines, 98	C-reactive protein (CRP), 43
genetic polymorphisms, 98	endothelial cells, 41
inflammatory hypothesis, 97	endothelial dysfunction, 41
low-density lipoprotein receptor-related	extracellular matrix deposition, 42–43
protein 1 (LRP1), 97	foam cell formation, 42
peripheral inflammation, 98	high-density lipoproteins (HDL), 42
peripheral inflammatory mechanisms,	hyperlipidemia, 41
99–100	intracellular non-degraded
senile plaques, 98	cholesterol, 42
and periodontitis	lipid accumulation, 41
bacteremia, 100	low-density lipoprotein (LDL), 42
cytokines and LPS, 101	matrix metalloproteinases (MMPs), 43
infection-induced effects, 101	pro-inflammatory mediators, 41
monocytes, 101	smooth muscle cell proliferation, 41, 42
RAGE production, 102	thrombosis and/or intraplaque
prevalence, 93	hemorrhage, 42
American Academy of Periodontology	thrombus formation (embolism), 43
(AAP), 6	molecular mimicry, 46
American Association of Clinical	mortality, 39
Endocrinologists (AACE), 27	periodontal therapy, 47–48
Aspiration pneumonia	prevention, 39
oral care	risk factor, 47
chlorhexidine (CHX), 87	vascular occlusion, 39
edentulous patients, 88	vasculai occiusion, 39
oral interventions, 87	
oral health	C
	Carotid intima-media thickness (CIMT), 48
nursing home residents, 87	The state of the s
oral microflora, 86	Centers for Disease Control (CDC), 6
Atherosclerosis, 2, 117, 118	Chlorhexidine (CHX), 87

Chronic kidney diseases (CKD)	HbA1c, 23, 26
end-stage renal disease (ESRD)	high-sensitivity C-reactive protein (hsCRP)
causes, 55	levels, 27
incident counts and adjusted rates, 56	hyperglycemia, 25
incident rate, 55	insulin resistance, 28
medical complexity, 54	insulin therapy, 22
mortality, 54	ketoacidosis, 21
periodontitis	ketones, 21
management, for CKD patient, 61-62	kidney dysfunction, 31
prevalence and severity, 59-60	long-term complications, 20
risk factor, 60-61	matrix metalloproteinases (MMPs), 30
renal hemodialysis, 54	metabolic syndrome, 24
and renal replacement therapies	microvascular and macrovascular
donor kidneys, 58	complications, 26
glomerular filtration rate (GFR), 54	monocytic hypersecretory phenotype, 30
heparin, 55	motor and sensory nerve conduction
histocompatibility leukocyte antigen	velocity, 26
(HLA) complexes, 57	multivariate risk analysis, 29
immune suppression, 58	neuropathy, 26
incident and prevalent patient counts, 56	NHANES III database, 27
patient's circulatory system, 55	NHANES III study, 29
peritoneal dialysis, 55	ominous octet, 22
renal hemodialysis, 55, 56	oral changes, 27
transplant survival rates, 58	oral inflammation, 30
systemic inflammation, 58-59	osmotic and oxidative stress, 25
	pancreatic autoimmune β-cell
	destruction, 21
D	pathophysiological abnormalities, 23
Diabetes mellitus	periodontal wound healing, 29
advanced glycation end products (AGEs), 30	physical activity and dietary changes, 20
AGE-RAGE interactions, 28	prevelance, 20
bacterial burden, 30	proteinuria, 31
bacterial infections, 31	retinopathy, 29
CARE study, 27	screening, 22–24
categories, 24	self-monitoring of blood glucose
chronic periodontal inflammation, 30	(SMBG), 26
classic signs and symptoms, 22	serum CRP levels, 28
classification, 21	therapeutic strategies, 31–32
clinical management	TNF- α , 31
dental considerations, 33	
medical considerations, 33–34	
complication, 25	E
criteria, 23, 24	Endothelial dysfunction, 48
cytokine activation, 25	End-stage renal disease (ESRD), 31
degenerative vascular changes, 30	causes, 55
Diabetes Control and Complications Trials	incident counts and adjusted rates, 56
(DCCT), 26	incident rate, 55
disability and death, 27	
DNA analysis, 28	
epidemiologic studies, 29	F
FPG, 23	Fasting plasma glucose (FPG), 23
gestational diabetes mellitus (GDM), 21	Flurbiprofen, 16

Index 123

G	nursing-home associated pneumonia
Genome-wide studies, 9–10	(NHAP), 84
Glucosyltransferase-6 gene, 10	pathogenesis, 84–86
Gram-negative anaerobic species, 2, 117	
Gram-negative assacharolytic anaerobic	
bacteria, 13	P
Gram-negative cocci and rods, 11	Periodontal diseases, 1–3
	classification and prevalence, 6–7
	dental biofilm
H	arachidonic acid cascade, 12
High-density lipoproteins (HDL), 42	asaccharolytic bacteria, 11
Hypercholesterolemia, 40	bone resorption pathways, 13
	exopolysaccharide matrix, 10
	F. nucleatum species, 11
I	gingival epithelial cells, 12
Insulin Resistance Atherosclerosis Study	gingival epithelium, 13
(IRAS), 28	Gram-negative cocci and rods, 11
	Gram-positive aerobic cocci, 11
	Gram-positive aerobic saccharolytic
L	bacteria, 11
Low-density lipoprotein (LDL), 42	growth factors and metabolites, 10
	host matrix metalloproteinase, 13
	metabolic and nutrient
M	requirements, 11
Matrix metalloproteinases	Nod receptors, 12
(MMPs), 16, 43	Peyer's patches, 12
Metabolic syndrome, 24	salivary and bacterial proteins, 11
	scaffold, 10
	toll-like receptors (TLRs), 12
N	host subversion
Neutrophils, 14	bystander bacteria, 14
Nod receptors, 12	Gram-negative assacharolytic anaerobic
Non-steroidal anti-inflammatory	bacteria, 13
medications, 16	matrix metallo-proteinases, 14
Nursing-home associated pneumonia	neutrophils, role of, 14
(NHAP), 84	peptides and amino acid, 13
	P. gingivalis, 14
	management, 15–17
0	pathogenesis, 2
Oral health and pneumonia	susceptibility
community-acquired pneumonia	chronic adult periodontitis, 8
antibiotics, 82	clinical significance, 10
bacterial pneumonia, 81	DNA sequence, 9
chest radiography, 82	gene polymorphisms, 9
clinical symptoms, 82	genetic component, 8
etiologic agents, 82	genome-wide studies, 9–10
immunosuppression, 81	gingival inflammation, 9
morbidity and mortality, 81	gingival vasoconstriction, 8
risk factor, 82	glucosyltransferase-6 gene, 10
treatment, 82	risk factors, 7
HAP and HCAP	single nucleotide polymorphisms, 9
aspiration pneumonia, 84, 86–88	smoking, 7–8

Periostat®, 16 Peyer's patches, 12 Pneumonia, 117, 118 Preterm labor (PTL), 118 alcohol consumption, 70 clinical trials, 70 concomitant medication, 75 dental plaque, 71 drug use, 70 genetic abnormalities, 76	environmental risk factors, 107 host predisposition and risk factors, 107 microbiome, 107 periodontitis and subgingival microbiome antibiotics and DMARD treatments, 111 anti-TNF medications, 109 bone erosion, 108 new-onset rheumatoid arthritis (NORA) patients, 109
gestational age, 72 gum inflammation, 75 inflammation and gum swelling, 71 inflammatory gum disease, 68 inflammatory marker C-reactive protein, 75	peptidylarginine deiminase (PAD), 109 scaling and root planing (SRP), 112 TNF-α, 107, 110 TNFis, 110–111
inflammatory markers, 68 low birth weight incidence, 71 meta-analysis, 69–70, 73–74 microbial infections, 68 nonalcoholic antiseptic mouthwash, 72 observational studies, 69 oral hygiene, 72	S Scaling and root planing (SRP), 112 Self-monitoring of blood glucose (SMBG), 26 Single nucleotide polymorphisms, 9
outcome measures, 72 progesterone treatment, 75 smoking, 70 subject selection criteria, 75 treatment, 72, 75 US study, 71	T Toll-like receptors (TLRs), 12 Type 2 diabetes mellitus, 2, 117
R Retinopathy, 29 Rheumatoid arthritis (RA), 2, 117, 118	U United Kingdom Prospective Diabetes Study (UKPDS), 26 United States National Health and Nutrition Examination Survey (NHANES), 6