THERMO-FLUID DYNAMICS OF TWO-PHASE FLOW

THERMO-FLUID DYNAMICS OF TWO-PHASE FLOW

Authored by

MAMORU ISHII
Purdue University

TAKASHI HIBIKI Kyoto University



Mamoru Ishii School of Nuclear Engineering Purdue University 1290 Nuclear Engineering Building West Lafayette, IN 47906 U.S.A.

Takashi Hibiki Research Reactor Institute Kyoto University Noda, Kumatori, Sennan Osaka 590-0494 Japan

Thermo-fluid Dynamics of Two-phase Flow

Library of Congress Control Number: 20055934802

 ISBN 0-387-28321-8
 ISBN 0-387-29187-3 (eBook)

 ISBN 9780387283210
 ISBN 9780387291871 (eBook)

Printed on acid-free paper.

© 2006 Springer Science+Business Media, Inc.

All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Springer Science+Business Media, Inc., 233 Spring Street, New York, NY 10013, USA), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden.

The use in this publication of trade names, trademarks, service marks and similar terms, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

Printed in the United States of America.

987654321

SPIN 11429425

springer.com

Dedication This book is dedicated to our parents.

Table of Contents

| Dedication | v |
|--|------|
| Table of Contents | vii |
| Preface | xiii |
| Foreword | xv |
| Acknowledgments | xvii |
| Part I. Fundamental of two-phase flow | |
| 1. Introduction | 1 |
| 1.1. Relevance of the problem1.2. Characteristic of multiphase flow | 1 3 |
| 1.3. Classification of two-phase flow | 5 |
| 1.4. Outline of the book | 10 |
| 2. Local Instant Formulation | 11 |
| 1.1. Single-phase flow conservation equations | 13 |
| 1.1.1. General balance equations | 13 |
| 1.1.2. Conservation equation | 15 |
| 1.1.3. Entropy inequality and principle of constitutive law | 18 |
| 1.1.4. Constitutive equations | 20 |
| 1.2. Interfacial balance and boundary conditions | 24 |
| 1.2.1. Interfacial balance (Jump condition) | 24 |

| 1.2.2. Boundary conditions at interface | 32 |
|---|-----|
| 1.2.3. Simplified boundary condition | 38 |
| 1.2.4. External boundary condition and contact angle | 43 |
| 1.3. Application of local instant formulation to two-phase flow | |
| problems | 46 |
| 1.3.1. Drag force acting on a spherical particle in a very slow | |
| stream | 46 |
| 1.3.2. Kelvin-Helmholtz instability | 48 |
| 1.3.3. Rayleigh-Taylor instability | 52 |
| Part II. Two-phase field equations based on time average | |
| 3. Various Methods of Averaging | 55 |
| 1.1. Purpose of averaging | 55 |
| 1.2. Classification of averaging | 58 |
| 1.3. Various averaging in connection with two-phase flow | |
| analysis | 61 |
| 4. Basic Relations in Time Averaging | 67 |
| 1.1. Time domain and definition of functions | 68 |
| 1.2. Local time fraction – Local void fraction | 72 |
| 1.3. Time average and weighted mean values | 73 |
| 1.4. Time average of derivatives | 78 |
| 1.5. Concentrations and mixture properties | 82 |
| 1.6. Velocity field | 86 |
| 1.7. Fundamental identity | 89 |
| 5. Time Averaged Balance Equation | 93 |
| 1.1. General balance equation | 93 |
| 1.2. Two-fluid model field equations | 98 |
| 1.3. Diffusion (mixture) model field equations | 103 |
| 1.4. Singular case of $v_{ni}=0$ (quasi-stationary interface) | 108 |
| 1.5 Macroscopic jump conditions | 110 |
| 1.6 Summary of macroscopic field equations and jump | |
| conditions | 113 |
| 1.7 Alternative form of turbulent heat flux | 114 |
| 6. Connection to Other Statistical Averages | 119 |
| 1.1. Eulerian statistical average (ensemble average) | 119 |
| 1.2. Boltzmann statistical average | 120 |
| Part III. Three-dimensional model based on time average | |
| 7. Kinematics of Averaged Fields | 129 |
| 1.1. Convective coordinates and convective derivatives | 129 |

| 1.2. Streamline | 132 |
|--|-----|
| 1.3. Conservation of mass | 133 |
| 1.4. Dilatation | 140 |
| 8. Interfacial Transport | 143 |
| 1.1. Interfacial mass transfer | 143 |
| 1.2. Interfacial momentum transfer | 145 |
| 1.3. Interfacial energy transfer | 149 |
| 9. Two-fluid Model | 155 |
| 1.1. Two-fluid model field equations | 156 |
| 1.2. Two-fluid model constitutive laws | 169 |
| 1.2.1. Entropy inequality | 169 |
| 1.2.2. Equation of state | 172 |
| 1.2.3. Determinism | 177 |
| 1.2.4. Average molecular diffusion fluxes | 179 |
| 1.2.5. Turbulent fluxes | 181 |
| 1.2.6. Interfacial transfer constitutive laws | 186 |
| 1.3. Two-fluid model formulation | 198 |
| 1.4. Various special cases | 205 |
| 10. Interfacial Area Transport | 217 |
| 1.1. Three-dimensional interfacial area transport equation | 218 |
| 1.1.1. Number transport equation | 219 |
| 1.1.2. Volume transport equation | 220 |
| 1.1.3. Interfacial area transport equation | 222 |
| 1.2. One-group interfacial area transport equation | 227 |
| 1.3. Two-group interfacial area transport equation | 228 |
| 1.3.1. Two-group particle number transport equation | 229 |
| 1.3.2. Two-group void fraction transport equation | 230 |
| 1.3.3. Two-group interfacial area transport equation | 234 |
| 1.3.4. Constitutive relations | 240 |
| 11. Constitutive Modeling of Interfacial Area Transport | 243 |
| 1.1. Modified two-fluid model for the two-group interfacial area | |
| transport equation | 245 |
| 1.1.1. Conventional two-fluid model | 245 |
| 1.1.2. Two-group void fraction and interfacial area transport | |
| equations | 246 |
| 1.1.3. Modified two-fluid model | 248 |
| 1.1.4. Modeling of two gas velocity fields | 253 |
| 1.2. Modeling of source and sink terms in one-group interfacial | |
| area transport equation | 257 |
| 1.2.1. Source and sink terms modeled by Wu et al. (1998) | 259 |
| 1.2.2. Source and sink terms modeled by Hibiki and Ishii | |
| (2000a) | 267 |

| 1.2.3. Source and sink terms modeled by Hibiki et al. | |
|---|-----------|
| (2001b) | 275 |
| 1.3. Modeling of source and sink terms in two-group inter | rfacial |
| Area Transport Equation | 276 |
| 1.3.1. Source and sink terms modeled by Hibiki and Is | hii |
| (2000b) | 277 |
| 1.3.2. Source and sink terms modeled by Fu and Ishii | |
| (2002a) | 281 |
| 1.3.3. Source and sink terms modeled by Sun et al. (20 | 004a) 290 |
| 12. Hydrodynamic Constitutive Relations for Interfacial Trans | asfer 301 |
| 1.1. Transient forces in multiparticle system | 303 |
| 1.2. Drag force in multiparticle system | 308 |
| 1.2.1. Single-particle drag coefficient | 309 |
| 1.2.2. Drag coefficient for dispersed two-phase flow | 315 |
| 1.3. Other forces | 329 |
| 1.3.1. Lift Force | 331 |
| 1.3.2. Wall-lift (wall-lubrication) force | 335 |
| 1.3.3. Turbulent dispersion force | 336 |
| 1.4. Turbulence in multiparticle system | 336 |
| 13. Drift-flux Model | 345 |
| 1.1. Drift-flux model field equations | 346 |
| 1.2. Drift-flux (or mixture) model constitutive laws | 355 |
| 1.3. Drift-flux (or mixture) model formulation | 372 |
| 1.3.1. Drift-flux model | 372 |
| 1.3.2. Scaling parameters | 373 |
| 1.3.3. Homogeneous flow model | 376 |
| 1.3.4. Density propagation model | 378 |
| Part IV. One-dimensional model based on time average | |
| 14. One-dimensional Drift-flux Model | 381 |
| 1.1. Area average of three-dimensional drift-flux model | 382 |
| 1.2. One-dimensional drift velocity | 387 |
| 1.2.1. Dispersed two-phase flow | 387 |
| 1.2.2. Annular two-phase Flow | 398 |
| 1.2.3. Annular mist Flow | 403 |
| 1.3. Covariance of convective flux | 406 |
| 1.4. One-dimensional drift-flux correlations for various f | |
| conditions | 411 |
| 1.4.1. Constitutive equations for upward bubbly flow | 412 |
| 1.4.2. Constitutive equations for upward adiabatic ann | |
| internally heated annulus | 412 |

| 1.4.3. Constitutive equations for downward two-phase flow | |
|---|-----|
| 1.4.4. Constitutive equations for bubbling or boiling pool | |
| systems | 413 |
| 1.4.5. Constitutive equations for large diameter pipe | |
| systems | 414 |
| 1.4.6. Constitutive equations at reduced gravity conditions | 415 |
| 15. One-dimensional Two-fluid Model | 419 |
| 1.1. Area average of three-dimensional two-fluid model | 420 |
| 1.2. Special consideration for one-dimensional constitutive | |
| relations | 423 |
| 1.2.1. Covariance effect in field equations | 423 |
| 1.2.2. Effect of phase distribution on constitutive relations | 426 |
| 1.2.3. Interfacial shear term | 428 |
| References | 431 |
| Nomenclature | 441 |
| Index | 457 |

Preface

This book is intended to be an introduction to the theory of thermo-fluid dynamics of two-phase flow for graduate students, scientists and practicing engineers seriously involved in the subject. It can be used as a text book at the graduate level courses focused on the two-phase flow in Nuclear Engineering, Mechanical Engineering and Chemical Engineering, as well as a basic reference book for two-phase flow formulations for researchers and engineers involved in solving multiphase flow problems in various technological fields.

The principles of single-phase flow fluid dynamics and heat transfer are relatively well understood, however two-phase flow thermo-fluid dynamics is an order of magnitude more complicated subject than that of the single-phase flow due to the existence of moving and deformable interface and its interactions with the two phases. However, in view of the practical importance of two-phase flow in various modern engineering technologies related to nuclear energy, chemical engineering processes and advanced heat transfer systems, significant efforts have been made in recent years to develop accurate general two-phase formulations, mechanistic models for interfacial transfer and interfacial structures, and computational methods to solve these predictive models.

A strong emphasis has been put on the rational approach to the derivation of the two-phase flow formulations which represent the fundamental physical principles such as the conservations laws and constitutive modeling for various transfer mechanisms both in bulk fluids and at interface. Several models such as the local instant formulation based on the single-phase flow model with explicit treatment of interface and the macroscopic continuum formulations based on various averaging methods are presented and

discussed in detail. The macroscopic formulations are presented in terms of the two-fluid model and drift-flux model which are two of the most accurate and useful formulations for practical engineering problems.

The change of the interfacial structures in two-phase flow is dynamically modeled through the interfacial area transport equation. This is a new approach which can replace the static and inaccurate approach based on the flow regime transition criteria. The interfacial momentum transfer models are discussed in great detail, because for most two-phase flow, thermo-fluid dynamics are dominated by the interfacial structures and interfacial momentum transfer. Some other necessary constitutive relations such as the turbulence modeling, transient forces and lift forces are also discussed.

Mamoru Ishii, Ph.D.
School of Nuclear Engineering
Purdue University
West Lafayette, IN, USA

Takashi Hibiki, Ph.D.
Research Reactor Institute
Kyoto University
Kumatori, Osaka, Japan

September 2005

Foreword

Thermo-Fluid Dynamics of Two-Phase Flow takes a major step forward in our quest for understanding fluids as they metamorphose through change of phase, properties and structure. Like Janus, the mythical Roman God with two faces, fluids separating into liquid and gas, each state sufficiently understood on its own, present a major challenge to the most astute and insightful scientific minds when it comes to deciphering their dynamic entanglement.

The challenge stems in part from the vastness of scale where two phase phenomena can be encountered. Between the microscopic nano-scale of molecular dynamics and deeply submerged modeling assumptions and the macro-scale of measurements, there is a meso-scale as broad as it is nebulous and elusive. This is the scale where everything is in a permanent state of exchange, a Heraclitean state of flux, where nothing ever stays the same and where knowledge can only be achieved by firmly grasping the underlying principles of things.

The subject matter has sprung from the authors' own firm grasp of fundamentals. Their bibliographical contributions on two-phase principles reflect a scientific tradition that considers theory and experiment a duality as fundamental as that of appearance and reality. In this it differs from other topical works in the science of fluids. For example, the leading notion that runs through two-phase flow is that of interfacial velocity. It is a concept that requires, amongst other things, continuous improvements in both modeling and measurement. In the *meso*-scale, this gives rise to new science of the interface which, besides the complexity of its problems and the fuzziness of its structure, affords ample scope for the creation of elegant, parsimonious formulations, as well as promising engineering applications.

The two-phase flow theoretical discourse and experimental inquiry are closely linked. The synthesis that arises from this connection generates immense technological potential for measurements informing and validating dynamic models and conversely. The resulting technology finds growing utility in a broad spectrum of applications, ranging from next generation nuclear machinery and space engines to pharmaceutical manufacturing, food technology, energy and environmental remediation.

This is an intriguing subject and its proper understanding calls for exercising the rigorous tools of advanced mathematics. The authors, with enormous care and intellectual affection for the subject reach out and invite an inclusive audience of scientists, engineers, technologists, professors and students.

It is a great privilege to include the *Thermo-Fluid Dynamics of Two-Phase Flow* in the series *Smart Energy Systems: Nanowatts to Terawatts*. This is work that will stand the test of time for its scientific value as well as its elegance and aesthetic character.

Lefteri H. Tsoukalas, Ph.D. School of Nuclear Engineering Purdue University West Lafayette, IN, USA

September 2005

Acknowledgments

The authors would like to express their sincere appreciation to those persons who have contributed in preparing this book. Professors N. Zuber and J. M. Delhaye are acknowledged for their early input and discussions on the development of the fundamental approach for the theory of thermo-fluid dynamics of multiphase flow. We would like to thank Dr. F. Eltawila of the U.S. Nuclear Regulatory Commission for long standing support of our research focused on the fundamental physics of two-phase flow. This research led to some of the important results included in the book. Many of our former students such as Professors Qiao Wu, Seungjin Kim, Xiaodong Sun and Dr. X.Y. Fu contributed significantly through their Ph.D. thesis research. Current Ph.D. students S. Paranjape and B. Ozar deserve many thanks for checking the equations and taking the two-phase flow images, respectively. The authors thank Professor Lefteri Tsoukalas for inviting us to write this book under the new series, "Smart Energy Systems: Nanowatts to Terawatts".